ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 289 1994

Astronomy and Astrophysics A European Journal

Board of Directors

Vice Chairman: Chairman:

A. Maeder (Switzerland) A.G. Hearn (The Netherlands)

D. Alloin (France) R. Giacconi (ESO)

P. Harmanec (Czech Republic) R. Canal (Spain)

G. Contopoulos (Greece) R. Mattila (Finnland)

M. Crézé (France) P.G. Mezger (Germany)

J. Einasto (Estonia) P. E. Nissen (Denmark) C. Perola (Italy)

J. Pfleiderer (Austria)

Aa. Sandqvist (Sweden)

J.I. Smak (Poland)

P. Smeyers (Belgium)

Editors-in-Chief

J. Lequeux Astronomy and Astrophysics **Editorial Office**

Observatoire de Paris 61 avenue de l'Observatoire

F-75014 Paris France

Tel. (33-1) 43290541 Fax (33-1) 43290557

e-mail: aanda@mesiob.obspm.fr (internet)

mesioa:: aanda (span)

M. Grewing

Astronomy and Astrophysics **Editorial Office**

c/o Astronomisches Institut Waldhäuserstrasse 64

D-72076 Tübingen Germany

Tel. (49-7071) 294982 Telefax (49-7071) 293458

Telex (41) 7262714 ait d

Internet aaptue@ait.physik

uni-tuebingen.de

SPAN AITMVX::AAPTUE

Letter Editor

S. R. Pottasch

Kapteyn Astronomical Institute P.O. Box 800

B. Szeidl (Hungary)

R. Wielen (Germany)

J. Zverko (Slovak Republic)

NL-9700 AV Groningen The Netherlands

Tel. (31-50) 634093

Telex (44) 53572 stars nl Telefax (31-50) 636100

Editorial secretaries

Miss B. Perche Mrs. M. Rougeot Mr. W. M. Wettlaufer

Mrs. J. Zwegers-Morris

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, ist vested in European Southern Observatory (ESO).

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer International 1994 Printed in Germany

Printing and bookbinding: Druckhaus Beltz, 69494 Hemsbach

Contents

Letters to the Editor		Autocorrelation central value in clipped photon-counting detec-	
A case study: the time evolution of dust scattered X-ray halos from gamma-ray bursters		tion from the moments of the total number of counts Cagigal M.P., Prieto P.	L51
Klose S.	L1	Cosmology	
Radial cluster lensing. A simple differential equation describing		00	
arclet fields Schramm T., Kayser R. Outburst of the illuminating star of the bipolar reflection nebula	L5	Acquisition of angular momentum by tidal torques in expanding, spherical-symmetric density perturbations: an analysis of different approximations. III	
RNO 138?		Andriani E., Caimmi R.	1
Miranda L.F., Eiroa C., Birkle K.	L7	Burgers' equation, Devil's staircases and the mass distribution for	
Erratum Direct determination of stellar and orbital parameters of the spectroscopic binary TY CrA Corporon P., Lagrange A.M., Bouvier J.	660	large-scale structures Vergassola M., Dubrulle B., Frisch U., Noullez A. On the multifractal analysis of galaxy catalogs with box-counting	325
Optical identification of the supersoft X-ray source	000	methods	
1E 0035.4–7230 in the Small Magellanic Cloud		Dubrulle B., Lachièze-Rey M.	667
Orio M., Della Valle M., Massone G., Ögelman H.	L11	Further astrophysical quantities expected in a quasi-steady state	
Detection of a distant cluster in the center of the shear field in		Universe	700
Q 2345+007	T 15	Hoyle F., Burbidge G., Narlikar J.V.	729
Mellier Y., Dantel-Fort M., Fort B., Bonnet H.	L15	Extragalactic astronomy	
An infrared counter-flow in the HH 111 jet complex Gredel R., Reipurth B.	L19		
The optical thickness of stellar coronae in EUV lines		On the Malmquist bias in the determination of H_0 and of distances of galaxies	
Schrijver C.J., van den Oord G.H.J., Mewe R.	L23	Triay R., Lachièze-Rey M., Rauzy S.	19
Multiband studies of two distant galaxy clusters at $z>0.8$ Thimm G.J., Belloni P.	L27	Sub-milliarcsecond structure of quasar cores and characteristic linear sizes of shocks inferred from radio continuum flux density	
The binary nature of an observed dark Galactic object Dominik M., Hirshfeld A.C.	L31	variations Valtaoja E., Teräsranta H.	3:
A giant arc in a ROSAT-detected cluster of galaxies		The spheroidal halo of the Magellanic-like dwarf irregular galaxy	
Edge A.C., Böhringer H., Guzzo L., Collins C.A., Neumann D., Chincarini G., De Grandi S., Dümmler R.,		MCG 06–30–025 in the Centaurus A group of galaxies Kemp S.N., Meaburn J.	3
Ebeling H., Schindler S., Seitter W., Vettolani P., Briel U., Cruddace R., Gruber R., Gursky H., Hartner G.,		EUV energy distributions of accretion disks in active galactic nuclei	
MacGillivray H.T., Schuecker P., Shaver P., Voges W., Wallin J., Wolter A., Zamorani G.	L34	Störzer H., Hauschildt P.H.	4:
A gravitational lens cluster – Abell 2104 – discovered in the ROSAT All-Sky Survey sample	LOT	TX 0211–122: a starburst radio galaxy at z = 2.34? van Ojik R., Röttgering H.J.A., Miley G.K., Bremer M.N., Macchetto F., Chambers K.C.	54
Pierre M., Soucail G., Böhringer H., Sauvageot J.L.	L37	HST observations of 3C 449: discovery of an extended nuclear	
First light for an astronomical 3-D photon detector Keller C.U., Graff W., Rosselet A., Gschwind R., Wild		disk and of possible optical jets Capetti A., Macchetto F., Sparks W.B., Miley G.K.	6
U.P.	L41	Optical long-term variability of a sample of quasars in the field	
Detection of a very low hard X-ray pulse fraction in the bright state of GX 1+4		around M 3	-
Rao A.R., Paul B., Chitnis V.R., Agrawal P.C.,		Meusinger H., Klose S., Ziener R., Scholz RD.	6
Manchanda R.K.	L43	Echo mapping the Balmer-emission region in NGC 3516 Wanders I., Horne K.	7
Asteroids as reference stars for high resolution astronomy		Recycled galaxies in the colliding system Arp 105	,
Ribak E.N., Rigaut F.	L47	Duc PA., Mirabel I.F.	8
		Dynamos in evolving galaxies Beck R., Poezd A.D., Shukurov A., Sokoloff D.D.	9.

The Australia Telescope Survey of 21-cm absorption in the Magellanic System. II. The cool atomic gas in the LMC Dickey J.M., Mebold U., Marx M., Amy S., Haynes R.F., Wilson W.	357	(RN) Optical study of LMXBs with high temporal resolution: evidence for non-thermal flares from MXB 1735–44 Beskin G., Neizvestny S., Plokhotnichenko V., Popova M., Zhuravkov A., Benvenuto O.G., Feinstein C., Méndez M.	141
The medium redshift clusters CL 0017–20 and CL 0500–24 Infante L., Fouqué P., Hertling G., Way M.J., Giraud E.,		(RN) WX Arietis: a low-inclination SW Sextantis star Hellier C., Ringwald F.A., Robinson E.L.	148
Quintana H. Erratum Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31	381	Herculis X-1: coronal winds producing the tilted shape of the accretion disk Schandl S., Meyer F.	149
Vilchez-Gómez R., Pelló R., Sanahuja B. Erratum The evidence for anisotropy of the ionizing continuum of NGC 4151	661	Multi-period pulsation of the δ Scuti star 63 Herculis Breger M., Ostermann W.M., Jiang SY., Li ZP., Akan M.C., Evren S., Ibanoglu C., Keskin V., Tunca Z.	162
Schulz H., Komossa S. Correlated radio and optical variations in a sample of active galactic nuclei	662	Automatic search for periodic light curves with any kind of shape in unevenly spaced data Grison P.	404
Tornikoski M., Valtaoja E., Teräsranta H., Smith A.G., Nair A.D., Clements S.D., Leacock R.J.	673	On the strategy of future observations and modeling of the $\boldsymbol{\beta}$ Lyrae system	
Kinematics of the Local Universe: completeness of the sample Paturel G., Bottinelli L., Di Nella H., Fouqué P., Gouguenheim L., Teerikorpi P.	711	Hubeny I., Harmanec P., Shore S.N. The investigation of the error boxes of KVANT and GRANAT	411
Ultraviolet observations of galaxies with the FAUST experiment Deharveng JM., Sasseen T.P., Buat V., Bowyer S.,	/11	X-ray sources in the region of Galactic center Cherepashchuk A.M., Goranskij V.P., Karitskaya E.A., Nadjip A.E., Savage A., Shakura N.I., Sunyaev R.A., Volchkov A.A.	419
Lampton M., Wu X.	715	Confrontation between power spectra of Mira stars and theoretical models Barthès D., Tuchman Y.	429
Galactic structure and dynamics		Fast eclipse mapping	147
The galactic abundance gradients traced by B-type stars Kaufer A., Szeifert T., Krenzin R., Baschek B., Wolf B.	740	Spruit H.C. Red supergiant variables in the Large Magellanic Cloud: their	441
Self-similar spreading of a viscous, star-forming galactic disc Fröhlich HE.	749	evolution and pulsations Li Y., Gong Z.G.	449
Stellar clusters and associations		Multiwaveband study of a major X-ray outburst from the Be/X-ray transient system A 1118–616 Coe M.J., Roche P., Everall C., Fishman G.J., Hagedon	
The Orion OB 1 association. I. Stellar content		K.S., Finger M., Wilson R.B., Buckley D.A.H., Shrader	704
Brown A.G.A., de Geus E.J., de Zeeuw P.T. The apparent distribution of red giant spectroscopic binaries in	101	C., Fabregat J., Polcaro V.F., Giovannelli F., Villada M. Spectral and correlated timing behaviour of GX 5–1 Kuulkers E., van der Klis M., Oosterbroek T., Asai K.,	784
open clusters Raboud D., Mermilliod JC.	121	Dotani T., van Paradijs J., Lewin W.H.G. A model of the source LS I +61°303	795
(RN) Horizontal-branch models and the second-parameter phenomenon: the case of PGC 288 and NGC 362	394	Lipunov V.M., Nazin S.N. The W Ursae Majoris system ER Ori: a multiple star	822
Catelan M., de Freitas Pacheco J.A. CCD BV photometry of the intermediate age open cluster NGC 1245	374	Goecking KD., Duerbeck H.W., Plewa T., Kaluzny J., Schertl D., Weigelt G., Film P.	827
Carraro G., Patat F.	397	Model atmospheres and radiation of magnetic neutron stars: anisotropic thermal emission	
The use of the (<i>BI</i>) color index and applications of the (<i>B-I</i>) versus (<i>B-V</i>) relationship. I. Open clusters Natali F., Natali G., Pompei E., Pedichini F.	756	Pavlov G.G., Shibanov Y.A., Ventura J., Zavlin V.E. Spectroscopic evidence for photo-ionization wakes in Vela X-1	837
ROSAT PSPC observations of globular clusters Johnston H.M., Verbunt F., Hasinger G.	763	and 4U 1700–37 Kaper L., Hammerschlag-Hensberge G., Zuiderwijk E.J. EGRET observations of the Vela pulsar, PSR 0833–45	846
Synthetic and observed photometric indices for globular clusters in the Galaxy and M 31 Covino S., Pasinetti Fracassini L.E., Malagnini M.L., Buzzoni A.		Kanbach G., Arzoumanian Z., Bertsch D.L., Brazier K.T.S., Chiang J., Fichtel C.E., Fierro J.M., Hartman R.C., Hunter S.D., Kniffen D.A., Lin Y.C., Mattox J.R., Mayer-Hasselwander H.A., Michelson P.F., von Montigny	
		C., Nel H.I., Nice D., Nolan P.L., Pinkau K., Rothermel H., Schneid E., Sommer M., Sreekumar P., Taylor J.H.,	855
Formation, structure and evolution of stars		Thompson D.J. The detectability of cool polar caps on late type stars	600
The X-ray spectrum of EXO 2030+375 Sun XJ., Li TP., Wu M., Cheng LX.	127	Piskunov N., Wehlau W.H. Period variations of the late type contact binaries YY Eri and	868
(RN) Near-infrared observations of new young stellar objects from the IRAS Point Source Catalog Carballo R., Sahu M.	131	AE Phe: how to use light curves outside minimum Maceroni C., van 't Veer F.	871
Photoelectric light curve study of the DK Cygni system Awadalla N.S.	137	A spectroscopic analysis of the β Cephei star 12 Lacertae Mathias P., Aerts C., Gillet D., Waelkens C.	875

The interstellar medium in the Ara OB1 field Rizzo J.R., Bajigia E. The interstellar medium in the Ara OB1 field Rizzo J.R., Bajigia E. Origin of the O* pick-up ions in the heliosphere Geiss J., Gloeckler G., Mall U. Aradiation-gasdynamical method for numerical simulations of ionized nebulae: radiation-gasdynamics of PNe 1 Conzalez JF., Arnu MC. (RN) Determining hot star wind terminal velocities from low-resolution IUE data Prinja R.K. Line formation in Be star envelopes. I. Inhomogeneous density distributions Hummel W. High resolution infrared spectra of silicon monoxide and silicon isotorpic abundances in cool uninous stars Tayi T., Ohnafa K., Hinkle K.H., Ridgway S.T. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes. Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder K.P., Hillinsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (R. H.) String P. Midthyle resonance line scattering and the "momentum problem" in Maje of AB Doradus (R. H.) String P. Midthyle resonance line scattering and the "momentum problem" in Spectrometer: multiple scattering effects at solar maximum Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart M., String P., Schmitt J. C., Starsker M. Doppler imaging with a CLEAN-like approach in the Galactic bulge. Monthal C. Sagar R., Schmitt D., Fauben L.J.W. The effect of random alpha-fluctuations and the global properties of the solar magnetic field Hover with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart C. Sagaron D., Ventura R. Diffuse matter in space (including H11 regions and planetary nebulae) Diffuse matter in space				
Observation and modelling of main sequence star chromospheres. II. Modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of main sequence star chromospheres. II. Modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and modelling of the AU Microscopic (MZ-Sc) hydrogen operation and the and the AU Microscopic (MZ-Sc) hydrogen operation and the AU Microscopic (MZ-Sc) hydrogen of the Citype giant the AU Microscopic (MZ-Sc) hydrogen of the Citype giant the AU Microscopic (MZ-Sc) hydrogen of the Citype giant the AU Microscopic (MZ-Sc) hydrogen of the Citype giant the AU Microscopic (MZ-Sc) hydrogen of the Citype giant the Microscopic (MZ-Sc) hydrogen of the Citype giant the AU Microscopic (MZ-Sc) hydrogen of the Citype giant	Stellar atmospheres			
Houdebine E.R., Doyle J.G. Diservation and modelling of the AU Microscopii (dMZ-Se) hydrogen spectrum Houdebine E.R., Doyle J.G. Influence of the atmosphere model on the stellar effective temperature derived through the infrared flux method Mégeszier C. Variation of oxygen lines in magnetic Ap stars Gonzalet JF., Arnu MC. Variation of oxygen lines in magnetic Ap stars Gonzalet JF., Arnu MC. RN) Determining hot star wind terminal velocities from low-resolution IUE datia Prinja R.K. Line formation in Be star envelopes. I. Inhomogeneous density distributions Hummel W. Line formation in Be star envelopes. I. Inhomogeneous density distributions Hummel W. Line formation in Gonzalet JF., Arnu MC. RN) Determining hot star wind terminal velocities from low-resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Hullier D.J. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. Newersolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The summel W. Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The summel W. Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The interestical meethod for numerical simulations of tonized nebulac radiative, A. Mellana G. Particulary A., Mellana G. RNN SAO 7569: a late-type giant behind the molecular cloud MBM 12 Bhatt H.C., Sagar R., Subramaniam A., Gorit U., Chand				
Fire S. II. Modelling of the AU Microscopii (dN2.5e) hydrogen spectrum Houldebine E.R., Doyle J.G. Influence of the atmosphere model on the stellar effective temperature derived through the infrared flux method Mégessier C. Variation of oxygen lines in magnetic Ap stars Gorazlez JF., Arnu MC. (RN) Determining hot star wind terminal velocities from low-resolution IUE data. Prinja R.K. Line formation in Be star envelopes. I. Inhomogeneous density distributions: Hummel W. High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Tayli T., Olnaka K., Hinkk K.H., Ridgway S.T. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes. Hiller D.J. Radiative acceleration in stars due to photoionization Alcian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder K.P., Hinsek M. Doppler imaging with a CLEAN-like approach. II. A photospheric mage of AB Doradus (= HD) 36705) Kitrster M., Schmitt J.H.M.M., Cutispoto G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder K.P., Hinsek M. Sorrigina with a CLEAN-like approach. II. A photospheric mage of AB Doradus (= HD) 36705) Kitrster M., Schmitt J.H.M.M., Cutispoto G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder K.P., Hinsek M. An extensive study of planetary nebulae in the Galactic bulge. Monthe-Carlo simulations of an observed sample Statistics G., Tylenda R. An extensive study of planetary nebulae in the Galactic bulge. Monthe-Carlo simulations of an observed sample Statistics G., Tylenda R. An extensive study of planetary nebulae in the Galactic bulge. Monthe-Carlo simulations of an observed sample Statistics G., Tylenda R. An extensive study of planetary nebulae in the Galactic bulge. Monthe-Carlo simulations of an observed sample		169		659
Origin of the O' pick-up ions in the heliosphere generum Houdebine E.R., Doyle J.G. Influence of the atmosphere model on the stellar effective temperature derived through the infrared flux method Megessier C., Artru MC. (RN) Determining hot star wind terminal velocities from low-resolution IUE data Prinja R.K. Line formation in Be star envelopes. I. Inhomogeneous density distributions Hummel W. High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars: Tayif T., Ohnaka K., Hinkle K.H., Ridgway S.T. The Sun The effect of random alpha-fluctuations and the global properties of the solar magnetic field Houndards from the Hi Lyman-a line originaing in the solar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of interpolar wind source regions Spalaro D., Ventura R. Observations of the Or pick-up giant the hid the molecular cloud Hombel C., Mald U. A radiation-gasdynamica method for num	Observation and modelling of main sequence star chromos-			922
Figure E.R., Doyle J.G. Influence of the atmosphere model on the stellar effective temperature derived through the infrared flux method Megessier C. Variation of oxygen lines in magnetic Ap stars Gorazlez JF., Arru MC. RND Determining hot star wind terminal velocities from low-resolution IUE data Prinja R.K. Line formation in Be star envelopes. I. Inhomogeneous density High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Hummel W. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes. Hillier D.J. Radiative acceleration in stars due to photolonization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing. Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cuitspoto G. The solar system The nucleus of comet PL.evy 1991 XI Fitzsimmons A., Williams I.P. Imaginated by Gorant and future limits Hainaus O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet Pl.evy 1991 XI Fitzsimmons A., Williams I.P. Imaginated by Gorant and future limits Hainaus O., West R.M., Smette A., Marsden B.G. The calculation of continuum god of comet Shoremark and future limits Hainaus O., West R.M., Smette A., Marsden B.G. The come of the G-type giant HR. 2554: discovery of co-existing starting phase matrix in multi-scattering axisymmetric envelopes. Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt D., Teuben L.J.W. The solar system The nucleus of comet Pl.evy 1991 XI Fitzsimmons A., Williams I.P. Imagina of Very distinct omets: current and future limits Hainaus O., W				9606
temperature derived through the infrared flux method Mégessier C. Variation of oxygen lines in magnetic Ap stars Goraclez JF., Arus MC. (RN) Determining hot star wind terminal velocities from low-resolution IUE data Prinja R. K. 221 Line formation in Be star envelopes. I. Inhomogeneous density distributions Humnel W. High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Isuji T., Ohnaka K., Hinkle K.H., Ridgway S. T. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes. Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing. Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 8705) Kürster M., Schmitt J.H.M.M., Cuttspoto G. Diffuse matter in space (including H tt regions and planetary nebulae) Lust A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 9091 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijktra A.A. 47d distribution in BD+30 3639	*	185	Geiss J., Gloeckler G., Mall U.	933
Variation of oxygen lines in magnetic Ap stars Gonzalez JF. Arriu MC. (RN) Determining hot star wind terminal velocities from low-resolution IUE data Prinja R. K. Line formation in Be star envelopes. I. Inhomogeneous density distributions Hummel W. High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Tayli T., Ohnaka K., Hinkle K.H., Ridgway S. T. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes Hiller D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmum U. Rediative acceleration in stars due to photoionization Alexian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hinnsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürser M., Schmitt J.H.M.M., Cuitspoto G. Diffuse matter in space (including HII regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Statistika G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medicular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 9091 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijistra A.A. PAH distribution in BD4-30 3639	temperature derived through the infrared flux method	202	ionized nebulae: radiation-gasdynamics of PNe I	937
 (RN) Determining hot star wind terminal velocities from low-resolution IUE data Prinja R K. 221 Line formation in Be star envelopes. I. Inhomogeneous density distributions Hummel W. High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Tsiji T, Ohnaka K, Hinkle K.H., Ridgway S.T. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes. Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 3670S) Kürster M., Schmitt J.H.M.M., Cuispoto G. The solar system The solar system The solar system The solar problem of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasifiska G., Tylenda R. Hydromagnetic intercaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 9091 outflow Srink M.D. VLA measurements of a sample of planetary nebulae Potasch S.R., Zijistra A.A. Potasch S.R., Zijistra A.A. Potasch S.R., Zijistra A.A. Temporary capture of grains in exterior resonances with the Family Potasch and the global properties of the solar magnetic field Honyng P., Schmitt D., Schwitt D., Wentura R., Fuence A., Fuence L.J.W. The ceffect of non-equilibrium ionization on the H1 Lyman-α line of the solar magnetic field Honyng P., Schmitt D., Wentura R., Fuence C., A., Hord C.W., Stewart A., Lepface D., Wentura R., A., Fuence A., Barth L.C., Sagar R	Variation of oxygen lines in magnetic Ap stars			
Line formation in Be star envelopes. I. Inhomogeneous density distributions **Hummel W.** High resolution infrared spectra of silicon monoxide and silicon stoopic abundances in cool luminous stars **Tsuji T., Ohnaka K., Hinkle K.H., Ridgway S.T.** The calculation of continuum polarization due to the Rayleigh scattering plase matrix in multi-scattering axisymmetric envelopes **Hillier D.J.** Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds **Springmann U.** Radiative acceleration in stars due to photoionization **Alexian G.** The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes **Schröder KP., Hinisch M.** Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) **Kürster M., Schmitt J.H.M.M., Cutispoto G.** Diffuse matter in space (including H II regions and planetary nebulae) Diffuse matter in space (including H II regions and planetary nebulae) Diffuse matter in molecular clouds **Just A., Jacobi S., Deiss B.M.** Strong evidence for a molecular jump shock in the HH 9091 outflow **Smith M.D.** Smith M.D.** VI.A measurements of a sample of planetary nebulae **Potasch S.R., Zijktra A.A.** PAH distribution in BD+30 3639 The effect of random alpha-fluctuations and the global properties of the solar magnetic field **Hoyng P., Schmitt D., Teuben L.J.W.** The effect of non-equilibrium ionization on the H1 Lyman-a line originating in the solar winds in the solar wind in the solar wind in the solar wind in the solar magnetic field **Hoyng P., Schmitt D., Teuben L.J.W.** The effect of non-equilibrium ionization on the H1 Lyman-a line originating in the solar wind in the solar wind in the solar water in space (a Botania C.A., F., Simmons K.E., Hall D.T.* Direct evidence for a two component spectrum of the soft X-ray background **Kerp J.* A dynamo effect due to instability of magnetic flux tubes **Ferriz-Mas A., Schmitt D., Schüssler M.* Interplanetary type III	(RN) Determining hot star wind terminal velocities from low-resolution IUE data	221		946
distributions Hummel W. High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Tsuji T., Ohnaka K. H., Ridgway S. T. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes Hillier D. J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) Nonte-Carlo simulations of an observed sample Sussishska G., Tylenda R. Hydromagnetic field Hoyng P., Schmitt D., Teuben L.J.W. 257 The effect of ron-equilibrium ionization on the H1 Lyman-a line originating in the solar wind source regions Spadaro D., Ventura R. Observations of interplanetary Lyman-a with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum. Alefo J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. Direct evidence for a two component spectrum of the soft X-ray background Kerp J. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. Interplanetary type III radio bursts that approach the plasma frequency: Ulyses observations Hoang S., Dulk G.A., Leblanc Y. The solar system The nucleus of comet P/Levy 1991 XI Fitzsimmons A., Williams L.P. Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet Profrige-Skjellerup Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. E. Indial disruption and the appearance of periodic comet Shoemaker-levely app		221	The Sun	
High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars Tsuji T., Ohnaka K., Hinkle K.H., Ridgway S.T. The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Susishska G., Tylenda R. Hydromagnetic field Hoyng P., Schmitt D., Teuben L.J.W. 20 Observations of interplanetary Lyman-a with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. 505 Servicions of interplanetary Lyman-a with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. 505 Servicions of interplanetary Lyman-a with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. 505 Servicions of interplanetary Lyman-a with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. 507 Servicions of interplanetary Lyman-a with the Galileo Ultraviolence in the soft X-ray background Kerp J. 508 Servicion G. The corona of the G-type gian	distributions			
The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stusifisk G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639	High resolution infrared spectra of silicon monoxide and silicon	458	of the solar magnetic field	265
The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S. R., Zijlstra A.A. PAH distribution in BD+30 3639 Spadaro D., Ventura R. Observations of interplanetary Lyman-α with the Galileo Ultraviolation interplanetary undithe scattering effects at solar maximum Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. 250 Spadaro D., Ventura R. Observations of interplanetary Lyman-α with the Galileo Ultraviolation in the soft X-ray background 885 Kerp J. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. 1893 The corona of the G-type giant HR 2554: discovery of co-existing, very difference for a two component spectrum of the soft X-ray background 885 Kerp J. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smeite A., Marsden B.G. The radial brightness dependence in the dust coma of comet Plevy 9 Sekanina Z., Cho		469		
opes Hillier D.J. Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Potasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639				279
Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds Springmann U. Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) New York of Planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasiriska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a two component spectrum of the soft X-ray background Kerp J. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schitssler M. 10 Spring-Mas A., Schmitt D., Schitssler M. 11 The nucleus of comet P/Levy 1991 XI Fitzsimmons A., Williams 1.P. 12 Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. 12 The adial brightness dependence in the dust coma of comet P/Levy 1991 XI Fitzsimmons A., Williams 1.P. 12 Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. 13 The nucleus of comet P/Levy 1991 XI Fitzsimmons A., Williams 1.P. 14 Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. 15 The adial brightness dependence in the dust coma of comet P/Levy 1991 XI Fitzsimmons A., Williams 1.P. 16 (RN) Comments of the soft X-ray background Kerp J. 18 Adynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schitssler M. 18 Alynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schitssler M. 18 Alynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt C.A., Alynamo effect due to instab	opes	492	iolet Spectrometer: multiple scattering effects at solar maxi-	
A.I.F., Simmons K.E., Hall D.T. Proceedings of the G-type giant HR 2554: discovery of co-existing, serving different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Potusch S.R., Zijistra A.A. PAH distribution in BD+30 3639 A.I.F., Simmons K.E., Hall D.T. Direct evidence for a two component spectrum of the soft X-ray background Kerp J. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. Ferriz-Mas A., Schmitt D., Schüssler M. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. Ferriz-Mas A., Schmitt D., Schüssler M. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. Ferriz-Mas A., Schmitt D., Schüssler M. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. Ferriz-Mas A., Schmitt D., Schüssler M. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. Ferriz-Mas A., Schmitt D., Schüssler M. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M.				
Radiative acceleration in stars due to photoionization Alecian G. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a two component spectrum of the soft X-ray background Kerp J. A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. 10 Interplanetary type III radio bursts that approach the plasma frequency: Ulysses observations Hoang S., Dulk G.A., Leblanc Y. The solar system The nucleus of comet P/Levy 1991 XI Fitzsimmons A., Williams 1.P. Imaging of very distant comets: current and future limits Hainauu O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Povnt-	H	505	A.I.F., Simmons K.E., Hall D.T.	283
The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Sussifiska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Potusch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 A dynamo effect due to instability of magnetic flux tubes Ferriz-Mas A., Schmitt D., Schüssler M. Interplanetary type III radio bursts that approach the plasma frequency: Ulysses observations Hoang S., Dulk G.A., Leblanc Y. The solar system The nucleus of comet P/Levy 1991 XI Fitzsimmons A., Williams I.P. Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. Tidal disruption and the appearance of periodic comet Shoemak- er-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brumini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Povnt-	Radiative acceleration in stars due to photoionization		background	59
Schröder KP., Hünsch M. Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) Kürster M., Schmitt J.H.M.M., Cutispoto G. 899 Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasiriska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 Interplanetary type III radio bursts that approach the plasma frequency: Ulysses observations Hoang S., Dulk G.A., Leblanc Y. The solar system The nucleus of comet P/Levy 1991 XI Fitzsimnons A., Williams I.P. Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-				57
Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) **Kürster M., Schmitt J.H.M.M., Cutispoto G.** **Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample **Stasiriska G., Tylenda R.** Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds **Just A., Jacobi S., Deiss B.M.** Strong evidence for a molecular jump shock in the HH 90/91 outflow **Smith M.D.** VLA measurements of a sample of planetary nebulae **Pottasch S.R., Zijlstra A.A.** PAH distribution in BD+30 3639 **The solar system* The nucleus of comet P/Levy 1991 XI **Fitzsimmons A., Williams I.P.** Imaging of very distant comets: current and future limits **Hainaut O., West R.M., Smette A., Marsden B.G.** The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup **Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E.** Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 **Sekanina Z., Chodas P.W., Yeomans D.K.** (RN) Comments on Hills's approximation in the problem of planetary encounters **Brunini A.** Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-		893		949
Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 The solar system The nucleus of comet P/Levy 1991 XI Fitzsimmons A., Williams I.P. Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-	Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705)	899	frequency: Ulysses observations	95
Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 The nucleus of comet P/Levy 1991 XI Fitzsimmons A., Williams 1.P. Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-	, , , , , , , , , , , , , , , , , , , ,		73	
Diffuse matter in space (including H II regions and planetary nebulae) An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 Fitzsimmons A., Williams I.P. Imaging of very distant comets: current and future limits Hainaut O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-				
An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 Hainaut O., West R.M., Smette A., Marsden B.G. The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-	Diffuse matter in space (including H II regions and planetary		Fitzsimmons A., Williams I.P.	30
V. Monte-Carlo simulations of an observed sample Stasińska G., Tylenda R. Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-				31
Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. E. Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-	V. Monte-Carlo simulations of an observed sample	225	P/Grigg-Skjellerup	
ambient medium in molecular clouds Just A., Jacobi S., Deiss B.M. Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-				60
Strong evidence for a molecular jump shock in the HH 90/91 outflow Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 Sekanina Z., Chodas P.W., Yeomans D.K. (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-		237		
Smith M.D. VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 (RN) Comments on Hills's approximation in the problem of planetary encounters Brunini A. Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynt-				60
VLA measurements of a sample of planetary nebulae Pottasch S.R., Zijlstra A.A. PAH distribution in BD+30 3639 Path distribution in BD+30 3639 Path distribution in BD+30 3639 Path distribution in BD+30 3639		256		
PAH distribution in BD+30 3639 Earth: planar circular restricted three-body problem with Poynt-	VLA measurements of a sample of planetary nebulae		Brunini A.	63
Bernard J.P., Giard M., Normand P., Tiphène D. 524 ing-Robertson drag		524	ing-Robertson drag	
Optical studies of interstellar material in low density regions of the Galaxy. II. Cloud properties, kinematics, and distribution of the neutral gas	Galaxy. II. Cloud properties, kinematics, and distribution of the		Sidlichovský M., Nesvorný D.	97
Sembach K.R., Danks A.C. 539 Instruments, data processing, and computational methods		539	Instruments, data processing, and computational methods	
Cometary globules. I. Formation, evolution and morphology Lefloch B., Lazareff B. Probability density estimation in astronomy Vio R., Fasano G., Lazzarin M., Lessi O.		559		64
SO and H ₂ S in low density molecular clouds Tieftrunk A., Pineau des Forêts G., Schilke P., Walmsley C.M. Maximum likelihood estimators: an application to the estimation of the precision of helioseismic measurements Toutain T., Appourchaux T.	Tieftrunk A., Pineau des Forêts G., Schilke P., Walmsley	570	of the precision of helioseismic measurements	64

Optimum strategies for inverse problems in statistical astronomy	Abstracts of articles which have been published in A&A Supplement Series 106, No. 3 998
Lucy L.B. Abstracts of articles which have been published in A&A	983 UBV photometry of the contact binary AB Andromedae Demircan O., Derman E., Akalin A., Selam S., Müyessoroğlu Z. 998
Supplement Series 106, No. 2 The metal-rich globular cluster NGC 6356Bica E., Ortolani S., Bai	Measurements of double stars made at Nice Observatory, New Double Stars (24th series) discovered at Nice with the 50 cm
Near-IR imaging photometry of NGC 1333. I. The embedded PMS stellar population	Couteau P., Gili R. Semiregular variables of types SRa and SRb. New JHKL'M-
Aspin C., Sandell G., Russell A.P.G.	photometry for 200 stars Kerschbaum F., Hron J. 998
,Global mapping B-band photometry of a complete sample of Fornax and Virgo early-type galaxies Caon N., Capaccioli M., D'Onofrio M.	Spectral classification of symbiotic stars in the near infrared Huang C.C., Friedjung M., Zhou Z.X. 998
Observations of suspected symbiotic stars Cieslinski D., Elizalde F., Steiner J.E.	UBV photoelectric photometry of red giants in NGC 6939 Mermilliod JC., Huestamendia G., del Rio G. 999
A $UBVRI$ photoelectric sequence in the SMC cluster NGC 419	On the rotation properties of Be stars and their envelopes Mennickent R.E., Vogt N., Barrera L.H., Covarrubias R., Ramírez A.
Wenderoth E., Alvarado F., Alcaino G., Liller W. Strömgren photometry of F- and G-type stars brighter than $V =$	664 Second astrolabe catalogue of Santiago Noël F. 999
9.6. I. <i>uvby</i> photometry Olsen E.H. Orbital elements of twelve binary stars (<i>Text in French</i>)	Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations
Baize P. Theoretical isochrones from models with new radiative opaci-	and data reduction de Jong R.S., van der Kruit P.C. 999
ties Bertelli G., Bressan A., Chiosi C., Fagotto F., Nasi E.	Three-dimensional hydrodynamic Bondi-Hoyle accretion. III. Mach 0.6, 1.4 and 10; $\gamma = 5/3$ Ruffert M. 1000
Multifrequency observations of ROSAT selected radio sources Neumann M., Reich W., Fürst E., Brinkmann W., Reich P., Siebert J., Wielebinski R., Trümper J.	Far-UV imaging of M 81 and comparison to other spiral trac- ers Reichen M., Kaufman M., Blecha A., Golay M., Huguenin
Observations of the Sun during 1993 with the astrolabe of Santiago	D. 1000 The brightest stars in three irregular dwarfs around M.81
Noël F. uvby photometry of the chemically peculiar stars α Andromedae, HD 184905, HR 8216, and HR 8434	665 Karachentsev I.D., Tikhonov N.A., Sazonova L.N. 1001 A catalogue He II 4686 line intensities in Galactic planetary
Adelman S.J., Brown B.H., Caliskan H., Reese D.F., Adelman C.J.	nebulae Tylenda R., Stasińska G., Acker A., Stenholm B. 1001
Deep photometry in the core of the open cluster NGC 5606 Vázquez R.A., Baume G., Feinstein A., Prado P.	Deep CCD BV photometry of the poorly studied open cluster NGC 4815 Carraro G., Ortolani S. 1001
The Hamburg quasar monitoring program (HQM) at Calar Alto. III. Lightcurves of optically violent variable sources Schramm KJ., Borgeest U., Kühl D., von Linde J.,	The visual magnitudes of stars in the Almagest of Ptolemeus and in later catalogues Schmidt H 1001
Linnert M.D., Schramm T. Simultaneous multirange observations and detection of rapid	Photometry of eleven asteroids at small phase angles Piironen J., Bowell E., Erikson A., Magnusson P. 1002
variability of BL Lacertae objects Xie G.Z., Li K.H., Zhang Y.H., Liu F.K., Fan J.H., Wang J.C.	Contribution to the study of composite spectra. VI. HD 66068–9 (Text in French) Carquillat J.M., Ginestet N., Duquennoy A., Pédoussaut
Preview of accepted papers (August 1994)	995 A. 1002

